



Figure can vary

**Part no.: 50135466**  
**A7-V1-MP1-DS-ROG-T-100**  
**Signaling column**



## Contents

- Technical data
- Dimensioned drawings
- Electrical connection




## Technical data

<b>Basic data</b>	
Series	A7
Type of signaling	Optical
<b>Electrical data</b>	
Life expectancy	> 100,000 h
<b>Performance data</b>	
Supply voltage	24 V, DC, 10 %
<b>Connection</b>	
<b>Connection 1</b>	
Type of connection	Terminal
<b>Mechanical data</b>	
Design	Cylindrical
Dimension (Ø x L)	70 mm x 297 mm
Housing material	Metal Plastic
Housing color	Black
Type of fastening, at system	Screw type / horizontal
Type of illuminant	LED/24V
Lens modules	3 pieces, ready-made
Signal image	Continuous light
Angle of radiation	360°
Sequence of the modules (ascending)	Green, orange, red
<b>Certifications</b>	
Degree of protection	IP 66
<b>Classification</b>	
eCl@ss 8.0	27371230
eCl@ss 9.0	27371230
ETIM 5.0	EC001042

## Dimensioned drawings

All dimensions in millimeters



## Electrical connection

Connection 1	
Type of connection	Terminal
Function	Voltage supply
Type of terminal	Tension spring technology